## Author index to volume 287 (1999)

- Ammar, G., C. Mehl and V. Mehrmann, Schur-like forms for matrix Lie groups, Lie algebras and Jordan algebras 287 (1999) 11
- Benner, P., H. Faßbender and D.S. Watkins, SR and SZ algorithms for the symplectic (butterfly) eigenproblem 287 (1999) 41
- Bhatia, R. and P. Šemrl, Orthognonality of matricesand some distances problems 287 (1999)77
- Bhattacharyya, T., On finite-dimensional commutative non-hermitian fusion algebras 287 (1999)87
- Bunse-Gerstner, A. and V. Mehrmann, Ludwig Elsner and his contributions to core, applied and numerical linear algebra 287 (1999) 3
- Bunse-Gerstner, A. and R. Stöver, On a conjugate gradient-type method for solving complex symmetric linear systems 287 (1999) 105
- Faßbender, H., see Benner, P. 287 (1999) 41 Faßbender, H., D.S. Mackey, N. Mackey and H. Xu, Hamiltonian square roots of skew-Hamiltonian matrices 287 (1999) 125
- Friedland, S. and R. Loewy, Spaces of symmetric matrices containing a nonzero matrix of bounded rank 287 (1998) 161
- George, A. and K.D. Ikramov, Common invariant subspaces of two matrices 287 (1999) 171
- Higham, N.J. Stability of block LDLT factorization of a symmetric tridiagonal matrix 287 (1999) 181
- Ikramov, K.D., see George, A. 287 (1999) 171
- Jia, Z., Polynomial characterizations of the approximate eigenvectors by the refined Arnoldi method and an implicitly restarted refined Arnoldi algorithm 287 (1999) 191

- Kołodziejczak, B. and T. Szulc, Convex combinations of matrices - full rank characterization 287 (1999) 215
- Lin, W.-W., C.-S. Wang and Q.-F. Xu, On the computation of the optimal H norms for two feedback control problems 287 (1999)
- Loewy, R., see Friedland, S. 287 (1999) 161
- Mackey, D.S., see Faßbender, H. 287 (1999)
- Mackey, N., see Faßbender, H. 287 (1999) 125 Mehl, C., see Ammar, G. 287 (1999) 11
- Mehrmann, V., D.D. Olesky, T.X.T. Phan and P. van den Driessche, Relations between Perron-Frobenius results for matrix pencils 287 (1999) 257
- Mehrmann, V., see Ammar, G. 287 (1999)
- Mehrmann, V., see Bunse-Gerstner, A. 287
- Mitra, S.K., Diagrammatic presentation of inner and outer inverses: S-diagrams 287 (1999) 271
- Nabben, R., Two-sided bounds on the inverses of diagonally dominant tridiagonal matrices 287 (1999) 289
- Neumann, M. and H. Schneider, The convergence of general products of matrices and the weak ergodicity of Markov chains 287 (1999) 307
- Niethammer, W., A note on the extended convergence of SOR for two-periodic Markov chains 287 (1999) 315
- Olesky, D.D., see Mehrmann, V. 287 (1999)
- Paardekooper, M.H.C., see Smit, P. 287 (1999)

Phan, T.X.T., see Mehrmann, V. 287 (1999) 257

Schneider, H., see Neumann, M. 287 (1999)

Šemrl, P., see Bhatia, R. 287 (1999) 77

Shih, M.-H., Simultaneous Schur stability 287 (1999) 323

Smit, P. and M.H.C. Paardekooper, The effects of inexact solvers in algorithms for symmetric eigenvalue problems 287 (1999) 337

Stöver, R., see Bunse-Gerstner, A. 287 (1999) 105

Szulc, T., see Kołodziejczak, B. 287 (1999) 215

van den Driessche, P., see Mehrmann, V. 287 (1999) 257

Voss, H., Symmetric schemes for computing the minimum eigenvalue of a symmetric Toeplitz matrix 287 (1999) 359

Wang, C.-S., see Lin, W.-W. 287 (1999) 223 Watkins, D.S., see Benner, P. 287 (1999) 41 Wimmer, H.K., Canonical angles of unitary

Wimmer, H.K., Canonical angles of unitary spaces and perturbations of direct complements 287 (1999) 373

Xu, H., see Faßbender, H. 287 (1999) 125 Xu, Q.-F., see Lin, W.-W. 287 (1999) 223

